



GB 13458 2013

GB 13458-2001

---

Discharge standard of water pollutants for ammonia industry

(发布稿)

2013-03-14

2013-07-01

---

	.....	II
1	.....	1
2	.....	1
3	.....	2
4	.....	2
5	.....	4
6	.....	5

1992 2001

---

---

---

---

GB13458 2001

2013 2 25

2013 7 1

1

2

GB/T 6920           pH

GB/T 11893

GB/T 11901

GB/T 11914

GB/T 16488

GB/T 16489

GB/T 17133

HJ 484

HJ 502

HJ 503

4-

HJ 535

HJ 536

HJ 537

-

HJ 636

HJ/T 60

HJ/T 195

HJ/T 199

HJ/T 200

HJ/T 399

28

39

3

3.1

2		60	100	
3	(COD <sub>Cr</sub> )			

3

mg/L pH

1	pH	6.9	6.9	
2		30	50	
3	(COD <sub>Cr</sub> )	50	80	
4		15	25	
5		25	35	
6		0.5	0.5	
7		0.2	0.2	
8		0.1	0.1	
9		0.5	0.5	
10		3	3	
	(m <sup>3</sup> /t )	10		

4.5

1

1

$$\rho = \frac{Q}{\sum Y_i \cdot Q_i} \times \rho$$

1

$\rho$  --- mg/L  
 $Q$  --- m<sup>3</sup>  
 $Y_i$  --- t  
 $Q_i$  --- m<sup>3</sup>/t  
 $\rho$  --- mg/L  
 $Q$  ---  $\sum Y_i \cdot Q_i$  1

5

5.1

5.2

5.3

5.4

5.5

5.6

4

4

1	pH	pH	GB/T 6920
2			GB/T 11901
3			GB/T 11914
			HJ/T 399
4			HJ 535
			HJ 536
			HJ 537
			HJ/T 195

5